
### Honeywell Cable & CE



Genesis Series Thermostat Cable

Honeywell



# Genesis Series Cable

#### **QUALITY**

Unsurpassed equipment, the most experienced people and the finest raw materials, combine to create the highest quality products in the industry. We are so confident in Genesis Series products that we offer the most comprehensive guarantee in the industry. If any Genesis Series product fails to perform to our specification, during the life of any original installation, we will replace the cable — three spools or boxes for one. No one else in the industry makes that guarantee.

#### **TECHNOLOGY**


Genesis Series Cables are designed around producing the highest quality and most cost effective cables in our industry. By understanding the needs of our customers, Genesis Series Cables deliver real value. Our products exceed the industry standards of Underwriters Laboratories, ETL, EIA/TIA, the Canadian Standards Association (where applicable), the National Electric Code and the NFPA.

#### COMMITMENT

Honeywell has brought together every conceivable resource to ensure that Genesis Series Low Voltage Cables deliver ultimate value to our customers. This means the highest standards of service, quality and efficiency, all backed by our limited lifetime warranty. Our commitment goes beyond our products, extending to our distributors and our loyal customers.

# Honeywell Thermostat Wire






To go Thermostar Cable

Specific and the specific and the







#### **QUALITY**

Honeywell thermostat wire, like all Honeywell products, is manufactured to the highest quality standards and is recommended for use with all thermostats, ensuring optimal system performance.

#### COMMITMENT

If any Honeywell thermostat wire fails to perform to our specification during the life of any original installation, we will replace the cable, three for one. No one else in the industry makes that guarantee.

#### **FEATURES**

- Full range of thermostat and electronic low voltage wire
- Polypropylene insulation provides exceptional dielectric and strips easily and cleanly, saving time
- Available for General Purpose (CL2) or Plenum (CL2P) Applications
- Ripcord for quick jacket removal
- Room and zone markings printed right on jacket
- Packaging options: Spools, Speedbags™ and Pull Boxes
- Manufactured in ISO 9001:2000 facility to exacting quality standards
- 100% guaranteed







### **Thermostat Cable**

Construction:

**Applications:** Wiring of Thermostat Controls, Heating and Air Conditioning Equipment,


Doorbells, as well as other Low Voltage Applications. Sunlight Resistant.

Code Restrictions: OK for use with all Power-Limited Circuits except those in Risers and Plenums.

Features: Available on Spools or in Speedbags. Sequential Footage Markings.

Copper Conductors, Polypropylene Insulation, Polyvinyl-Chloride Jacket.

Standard Jacket Color: Brown or White.



#### THERMOSTAT CABLE 60° C ON SPOOLS

AWG	#/COND.	PACKAGING	SOL	NOM. O.D.	NOM. CAP. PF/FT	LISTINGS	AVG. WT. PER MFT	PART#
20	2	4 x 500	SOL	.118	22	CL2	11	47014807
20	3	4 x 500	SOL	.124	22	CL2	14	47024807
20	4	4 x 250	SOL	.136	22	CL2	17	47030307
20	5	4 x 250	SOL	.148	22	CL2	20	47040307
20	6	4 x 250	SOL	.161	22	CL2	23	47050307
20	7	4 x 250	SOL	.161	22	CL2	26	47060307
20	8	4 x 250	SOL	.174	22	CL2	30	47070307
20	9	4 x 250	SOL	.188	22	CL2	33	47080307•
20	10	4 x 250	SOL	.204	22	CL2	36	47090307•
18	2	4 x 500	SOL	.136	25	CL2	16	47104807
18	3	4 x 500	SOL	.144	25	CL2	22	47114807
18	4	4 x 250	SOL	.157	25	CL2	27	47120307
18	5	4 x 250	SOL	.172	25	CL2	33	47130307
18	6	4 x 250	SOL	.188	25	CL2	38	47140307
18	7	4 x 250	SOL	.188	25	CL2	44	47150307
18	8	4 x 250	SOL	.204	25	CL2	50	47160307
18	9	4 x 250	SOL	.220	25	CL2	55	47170307
18	10	4 x 250	SOL	.240	25	CL2	60	47180307
18	12	1 x 250	SOL	.248	25	CL2	71	47190107

#### THERMOSTAT CABLE 60° C IN SPEEDBAGS

AWG	#/COND.	PACKAGING	SOL	NOM. O.D.	NOM. CAP. PF/FT	LISTINGS	AVG. WT. PER MFT	PART#
20	2	500	SOL	.118	22	CL2	11	47015907
20	3	500	SOL	.124	22	CL2	14	47025907
20	4	250	SOL	.136	22	CL2	17	47030907
20	5	250	SOL	.148	22	CL2	20	47040907
20	6	250	SOL	.161	22	CL2	23	47050907
20	7	250	SOL	.161	22	CL2	26	47060907
20	8	250	SOL	.174	22	CL2	30	47070907
20	9	250	SOL	.188	22	CL2	33	47080907•
20	10	250	SOL	.204	22	CL2	36	47090907•
18	2	500	SOL	.136	25	CL2	16	47105907
18	3	500	SOL	.144	25	CL2	22	47115907
18	4	250	SOL	.157	25	CL2	27	47120907
18	5	250	SOL	.172	25	CL2	33	47130907
18	6	250	SOL	.188	25	CL2	38	47140907
18	7	250	SOL	.188	25	CL2	44	47150907
18	8	250	SOL	.204	25	CL2	50	47160907
18	9	250	SOL	.220	25	CL2	55	47170907
18	10	250	SOL	.240	25	CL2	60	47180907
18	12	250	SOL	.248	25	CL2	71	47190907

<sup>•</sup> Consult factory for availability. MFT=1000 Feet

