

MINI SPLIT TOOL KIT EVERYTHING YOU NEED FOR R-410A



JB offers three versatile kits featuring everything you need to install and service mini split units. MSKIT1 & MSKIT2 contain all essential tools to get the job done including the Dealer Design award winning Patriot™ 2-Valve Manifold, a Kobra® Secure Seal hose set that is UL approved for R-410A & a heavy-duty 6-spanner head torque wrench.

The MSKIT3 is an affordable solution for service technicians who already have a few basic tools in their tool box.





★ For each PatriotTM, MSKIT1, or MSKIT2 sold, JB will donate to **Operation Homefront**.

To learn more about **Operation Homefront**, visit: www.operationhomefront.net

| INCLUDED IN MSKIT1 | | |
|--------------------|---|--|
| PART NO. | DESCRIPTION | |
| MSKIT1-BAG | JB's tool bag | |
| 22500 | Patriot™ manifold with 410A gauges | |
| CCLS-60 | 1/4" KOBRA® UL approved Secure Seal hose set | |
| T30605 | Metric (2-8mm) & Imperial (5/64 - 1/4") hex key set | |
| T30600 | Ratcheting eccentric cone flare tool | |
| TRQ1080 | Torque wrench set with 6 spanner heads | |
| A32525N | 1/4" Female x 1/4" SAE Valve core remover w/side port | |
| SHLD-P4 | SHIELD® locking cap R-410A (4 pack) | |
| A31656 | 5/16" Female x 1/4" SAE brass adapters (2 included) | |
| NFT5-4 | 1/4" Brass caps (5 included) | |

| INCLUDED | IN MSKIT2 | 5/16" |
|------------|---|-------|
| PART NO. | DESCRIPTION | |
| MSKIT1-BAG | JB's tool bag | |
| 22505 | Patriot™ manifold with 410A gauges | |
| CCLS5-60 | 5/16" KOBRA® UL approved Secure Seal hose set | |
| T30605 | Metric (2-8mm) & Imperial (5/64 - 1/4") hex key set | |
| T30600 | Ratcheting eccentric cone flare tool | |
| TRQ1080 | Torque wrench set with 6 spanner heads | |
| A32535N | 5/16" Female x 5/16" SAE Valve core remover w/side port | |
| SHLD-E4 | SHIELD® locking cap R-410A (4 pack) | |
| A31665 | 1/4" Female x 5/16" SAE brass adapters (2 included) | |
| NFT5-5 | 5/16" Brass caps (5 included) | |



| INCLUDED IN MSKIT3 1/4" & 5/ | | § 5/16" |
|------------------------------|---|----------------|
| PART NO. | DESCRIPTION | |
| MSKIT1-BAG | JB's tool bag | |
| T30605 | Metric (2-8mm) & Imperial (5/64 - 1/4") hex key set | |
| T30600 | Ratcheting eccentric cone flare tool | |
| TRQ1075 | Torque wrench set with 6 spanner heads | |
| NFT5-4 | 1/4" Brass caps (5 included) | |
| NFT5-5 | 5/16" Brass caps (5 included) | |
| A31656 | 5/16" Female x 1/4" SAE brass adapters (2 included) | |

EVERYTHING YOU NEED FOR R410-A DUCTLESS MINI-SPLITS IN ONE CONVENIENT KIT

PRODUCT DESCRIPTIONS



22500 · 22505 5/16"

Patriot™ manifold with surge dampened R-410A gauges & 360° swiveling hose holders.



CCLS-60 · CCLS5-60 5/16"

KOBRA® Secure sealed refrigerant charging hoses. With low-loss, UL-approved for R-410A.



TRQ1080

7.375-59.004 pound-feet (10-80 N-M) torque wrench with 6 spanner heads (17, 22, 24, 26, 27 & 29 mm) & 1/2" DR Ratchet head.



T30600

Ratcheting, eccentric cone flaring tool wtih internal clutch to prevent over-torquing. For tube OD: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8" & 3/4"



A32525N · A32535N 5/16"

Valve core remover tool with side port for removing valve cores without losing system charge.



SHLD-P4 · SHLD-E4^{5/16}"

SHIELD® Refrigerant locking cap with water-resistant rubber sleeves color coded for R-410A.



T30605

Metric (2-8 mm) and Imperial (5/64" - 1/4") hex key sets.



NFT5-4 · NFT5-5 5/16"

Five finger-tight 1/4" o-ring sealed brass caps.



MADE

A31656 · A31665 5/16" MALE

Brass adapters for 5/16" - 1/4" SAE connections.

ACCESSORIES:



JB-TOOLBAG1

Heavy duty canvas JB tool bag



NEW

JB-BACKPACK1

Heavy duty JB canvas backpack



TRN-IMP

Torque wrench imperial heads for TRQ1080

TUBING TOOLS

HAND TUBE BENDER *RT90614*

This universal hand bender provides bending of 1/2", 5/8", 3/4" and 7/8" OD soft copper, aluminum, and light grade stainless steel tubing.



STANDARD TUBE BENDER PRO

For exact bending radius up to 180° for tubes made up of soft copper. aluminum, and precision steel. The light construction results in fatigue-free hand operation. The clamp mechanism better holds the tube and enables the bending of even the shortest of tube pieces. The Tube Bender Pro is for 1/2" and 3/4" semi-hard and hard copper pipes and features a case iron body for longer life along with self adjusting shoe.

> RT25140 1/4" OD RADIUS

| STANDARD TUBE BENDER PRO | | |
|--------------------------|--------------------------------|--|
| PART NO. | DESCRIPTION | |
| RT25140 | 1/4" OD radius (0.71") | |
| RT25131 | 5/16" OD radius (0.95") | |
| RT25913 | Tube Bender Pro 1/2" OD radius | |
| RT25914 | Tube Bender Pro 3/4" OD radius | |
| RT25142 | 1/2" OD radius | |
| RT25136 | 5/8" OD radius (2.28") | |

MAXI TUBE BENDER SET RT23022

The smooth-running feed lever of this tube bender makes it ideal in restricted spaces and one-handed operations. The side lever allows for quick release and reset of bending former. The pliers feature a bayonet catch to easily change bending formers. The open bending frame makes it possible to repeatedly produce alternate angled bends. The set consists of the basic tool, bending support, bending formers, and steel case. For use on copper and



TORQUE WRENCH KITS WITH INTERCHANGEABLE WRENCH HEADS TRQ1080

 TORQUE RANGE OF 7.375 - 59.004 POUND-FEET OR 10-80 NM

• 6 SPANNER HEADS: 17, 22, 24, 26, 27 & 29mm

1/2" DR RATCHET HEAD

 PERFECT FOR SERVICING R-410A MINI SPLITS

 INCLUDES CONVENIENT CARRYING CASE



TRQ-IMP

• IMPERIAL SPANNER HEADS FOR TRQ1080 TORQUE WRENCH

 4 SPANNER HEADS: 5/8". 13/16". 15/16" & 1-1/8"



- TORQUE RANGE OF 10-75 NM
- 6 SPANNER HEADS: 17, 22, 24, 26, 27 & 29MM
- PERFECT FOR SERVICING R-410A MINI SPLITS



FIN STRAIGHTENERS

T20351

FOR 8, 9, 10, 12, 14, AND 15 SPACINGS PER INCH.



T20352

STAINLESS STEEL FIN STRAIGHTENER



T20353

STAINLESS STEEL FIN STRAIGHTENER WITH LARGER, EASY TO GRIP HANDLE.

